


FIG.1



## FIG.2

1220

ITEM NAME	COLLECTION INTERVAL	INITIAL VALUE	COLLECTION STATE	VARIATION REFERENCE VALUE	MINIMUM VALUE	MAXIMUM VALUE
AP1 ACCESS FREQUENCY	30s	50s	DETAIL	4	10s	100s
AP2 WAIT TIME						

200      210      220      230      240      250      260

201      211

## FIG.3

1210

ITEM NAME	NORMAL STATE DEFINITION	ITEM STATE	PREVIOUSLY ACQUIRED ITEM VALUE
AP1 ACCESS FREQUENCY	20/S OR BELOW	NORMAL	5/s
AP2 WAIT TIME	120S OR BELOW	ABNORMAL	140s
301	311		

300      310      320      330

# FIG.4

1280

ITEM NAME	NORMAL STATE DEFINITION	ITEM STATE	COLLECTION INTERVAL	PREVIOUSLY ACQUIRED ITEM VALUE
COMPUTER 1 CPU USE RATIO	70% OR BELOW	ABNORMAL	30s	80%
COMPUTER 1 DISC EMPTY CAPACITY	10% OR ABOVE	NORMAL	100s	70%

# FIG.5

1240

ABNORMAL ITEM NAME	DERIVATIVE GROUP	GROUP NAME
AP1 WAIT TIME	AP1 WAIT TIME, AP2 ACCESS FREQUENCY...	G1
AP2 WAIT TIME	AP2 WAIT TIME, AP3 ACCESS FREQUENCY...	G2

# FIG.6

DERIVATIVE ITEM NAME	ABNORMAL ITEM NAME
AP2 ACCESS FREQUENCY	AP1 WAIT TIME
601	611

FIG.7

1111






FIG.8

1260




**FIG.9**

1260



**FIG.10**

1260



**FIG.11**





FIG.12

1112



**FIG.13**

1112





FIG.14

1112



**FIG.15**

1270




FIG.16

1111




FIG.17

1112




FIG.18

1111





FIG.19

1260



# FIG.20

1230

DERIVATIVE GROUP	DETAIL COLLECTION TIME	REFERENCE TIME
G1	30s	10s
2100	2200	2300